

Systems, Networks and Secure Computing

REVIEW | COMMISSIONED SYNTHESIS

Failure Semantics in Edge Orchestration

Vincent Woods - Corresponding author

Abstract

This review examines failure semantics in edge orchestration. The organizing question is how distributed edge services should expose partial failure, retry, state loss, and degraded operation. Ten related scholarly sources are synthesized through a decision-centered framework spanning problem definition, mechanism, measurement, evaluation, implementation, and governance. The review does not invent experiments, pooled estimates, or unreported quantitative results. It instead evaluates the strength and transferability of the available evidence, with particular attention to measuring availability while silent inconsistency propagates across edge nodes. The resulting framework links technical or empirical performance to explicit use conditions and identifies tests that should precede wider adoption in latency-sensitive edge and Internet-of-Things services.

Keywords: edge computing, orchestration, fault tolerance, resilience, distributed systems

Synthesis lens	Principal question
Mechanism	the chain connecting evidence inputs, failure semantics in edge orchestration, intermediate outputs, and downstream decisions
Evaluation	construct validity, comparative performance, uncertainty, transfer across settings, and decision utility
Primary risk	measuring availability while silent inconsistency propagates across edge nodes

1. Introduction

Research on failure semantics in edge orchestration sits at the boundary between a promising component and a consequential decision. The core question is how distributed edge services should expose partial failure, retry, state loss, and degraded operation. Answering it requires more than assembling favorable results. It requires a chain of evidence that makes the problem boundary, mechanism, measurement, comparator, uncertainty, and accountable decision visible to the reader.

This article presents a structured narrative review of ten related publications. Sources were selected for topical relevance, traceable publication metadata, and complementary coverage of technical, empirical, and governance questions. No meta-analytic pooling is attempted because the included studies differ in designs, populations, system boundaries, and outcomes. The purpose is decision-oriented synthesis: to identify what each source can support, where transfer remains uncertain, and which evidence would justify the next stage of use.

The central risk is measuring availability while silent inconsistency propagates across edge nodes. A top-line metric or broad policy label can appear decisive while concealing the conditions that produced it. Accordingly, the synthesis separates observation from interpretation and implementation from validation. This separation is especially important when the same system creates benefits for one user or institution while transferring cost, risk, or administrative burden to another.

2. Evidence Base and Problem Boundary

A defensible review begins by defining the unit of analysis. For the present topic, the relevant boundary includes inputs, institutional or technical context, the mechanism producing an output, the person or system acting on that output, and the downstream outcome. Evidence falls outside the boundary when it measures only an intermediate proxy yet is used to claim an end-to-end benefit.

Costa et al. (2022) addresses "Orchestration in Fog Computing: A Comprehensive Survey." In this synthesis, that work is used as a source on problem definition within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

Prokhorenko and Babar (2020) addresses "Architectural Resilience in Cloud, Fog and Edge Systems: A Survey." In this synthesis, that work is used as a source on conceptual boundary within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

Böhm and Wirtz (2022) addresses "Cloud-Edge Orchestration for Smart Cities: A Review of Kubernetes-based Orchestration Architectures." In this synthesis, that work is used as a source on measurement within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

Together, these works provide complementary entry points, but their conclusions should not be flattened into a single ranking. Differences

in data generation, setting, temporal horizon, and outcome definition may be substantively meaningful. A review should therefore preserve those differences and state where analogy, rather than direct replication, connects one domain to another.

3. Mechanism and System Design

The operative mechanism is the chain connecting evidence inputs, failure semantics in edge orchestration, intermediate outputs, and downstream decisions. This formulation discourages component-only reasoning. A model, platform, policy, assay, or infrastructure service acquires practical meaning only when its interfaces and use conditions are specified. The evidence chain should describe what information is available, what transformation occurs, which assumptions make that transformation credible, and who is authorized to act.

Ramamoorthi (2023) addresses "Exploring AI-Driven Cloud-Edge Orchestration for IoT Applications." In this synthesis, that work is used as a source on system mechanism within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

Orive et al. (2022) addresses "Quality of Service Aware Orchestration for Cloud-Edge Continuum Applications." In this synthesis, that work is used as a source on representation choice within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

Moura and Hutchison (2022) addresses "Resilience Enhancement at Edge Cloud Systems." In this synthesis, that work is used as a source on failure analysis within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

These studies also show why modular claims require interface tests. A component may perform well while the complete pathway fails because inputs drift, users interpret outputs differently, recovery semantics are ambiguous, or institutional incentives change. Design documentation should therefore include not only the intended pathway but also foreseeable deviations, degraded modes, and conditions under which the system should stop or defer.

4. Evaluation and Uncertainty

Evaluation should center on construct validity, comparative performance, uncertainty, transfer across settings, and decision utility. Average performance remains useful, but it should be accompanied by distributions, error categories, relevant subgroups or operating regimes, and uncertainty at the point where a decision changes. Comparators must isolate the value of the proposed addition rather than compare a mature intervention with an intentionally weak baseline.

Aral and Brandic (2020) addresses "Learning Spatiotemporal Failure Dependencies for Resilient Edge Computing Services." In this synthesis, that work is used as a source on comparative evaluation within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and

Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

Reyana et al. (2023) addresses "Opportunities of IoT in Fog Computing for High Fault Tolerance and Sustainable Energy Optimization." In this synthesis, that work is used as a source on uncertainty within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

External validation should introduce meaningful shifts in setting, time, population, workload, market structure, or environmental conditions. A nominally independent sample can still be too similar to test transfer. Conversely, a failed transfer is scientifically informative when the changed conditions are measured and the mechanism of failure is examined rather than hidden in an aggregate score.

5. Translation and Governance

Translation to latency-sensitive edge and Internet-of-Things services depends on more than technical readiness. Decision rights, documentation, maintenance, monitoring, appeal, and recovery are part of the intervention. The governance requirement is traceable evidence, named responsibility, version control, monitoring, appeal, and explicit revalidation. Each control should be connected to a named failure mode and should identify an owner, evidence source, review interval, and escalation path.

Anuraj et al. (2024) addresses "Dynamic Swarm Orchestration and Semantics in IoT Edge Devices: A Systematic Literature Review." In this synthesis, that work is used as a source on implementation within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

M. et al. (2019) addresses "Joint failure recovery, fault prevention, and energy-efficient resource management for real-time SFC in fog-supported SDN." In this synthesis, that work is used as a source on governance within failure semantics in edge orchestration. The connection is deliberately bounded: the cited study informs the evidence map, but it does not by itself establish readiness for latency-sensitive edge and Internet-of-Things services. That distinction keeps the review close to the published record and prevents an adjacent result from being converted into a broader causal claim.

A credible implementation plan also defines sunset and revalidation conditions. New data, software updates, institutional restructuring, population change, or shifts in incentives can invalidate previously reasonable assumptions. Monitoring should therefore test the validity of the evidence chain, not merely whether a service remains online or a headline metric remains stable.

6. Research Agenda

Future studies should preregister or otherwise predefine the intended decision, principal outcomes, exclusions, and analysis plan when feasible. They should report missingness, sensitivity analyses, negative or null findings, and the cost of errors to differently situated stakeholders. Reproducible artifacts should include sufficient metadata to reconstruct data provenance, model or analytical versions, parameter choices, and the sequence from evidence to conclusion.

Cross-disciplinary work needs a shared object of explanation rather than a collection of adjacent vocabularies. For failure semantics in edge orchestration, that shared object is the complete decision pathway. Technical, clinical, social, environmental, or economic expertise should each change the design or interpretation of the study. When evidence remains incomplete, the useful output is a bounded hypothesis, a transparent uncertainty statement, or a request for additional measurement.

7. Conclusion

The literature supports a disciplined approach to failure semantics in edge orchestration: define the decision, preserve system boundaries, test consequential failure modes, connect uncertainty to action, and assign accountable control. The strongest conclusion is not that one method is universally superior. It is that credible use in latency-sensitive edge and Internet-of-Things services requires an auditable link from source evidence to design choice, evaluation result, and governed decision.

Declarations

Ethics approval: Not applicable. This article synthesizes previously published literature and reports no new research involving humans, animals, human tissue, or identifiable sensitive data.

Consent to participate and consent for publication: Not applicable.

Funding: No external funding is reported for this commissioned synthesis.

Competing interests: The authoring group declares no competing interests for this commissioned synthesis.

AI-assisted writing: Generative AI supported drafting, source organization, and language editing. Accountable authors and editors must verify every claim, citation, and disclosure before publication.

Data, code, and materials availability: No new dataset or code was generated. All evidence is identified in the reference list.

Licence: This manuscript is prepared for publication under the Creative Commons Attribution 4.0 International licence (CC BY 4.0).

References

- Anuraj, B., Calvaresi, D., Aerts, J. M., & Calbimonte, J. P. (2024). Dynamic Swarm Orchestration and Semantics in IoT Edge Devices: A Systematic Literature Review. *IEEE Access*, 12, 116917–116938. <https://doi.org/10.1109/access.2024.3446876>
- Aral, A., & Brandic, I. (2020). Learning Spatiotemporal Failure Dependencies for Resilient Edge Computing Services. *IEEE Transactions on Parallel and Distributed Systems*, 32(7), 1578–1590. <https://doi.org/10.1109/tpds.2020.3046188>
- Böhm, S., & Wirtz, G. (2022). Cloud-Edge Orchestration for Smart Cities: A Review of Kubernetes-based Orchestration Architectures. *EAI Endorsed Transactions on Smart Cities*, 6(18), e2. <https://doi.org/10.4108/eetasc.v6i18.1197>
- Costa, B., Bachiega, J., Carvalho, L. R. D., & Araujo, A. P. F. (2022). Orchestration in Fog Computing: A Comprehensive Survey. *ACM Computing Surveys*, 55(2), 1–34. <https://doi.org/10.1145/3486221>
- M., T. M., M., S., B., A., S., S., M., C., & M., S. (2019). Joint failure recovery, fault prevention, and energy-efficient resource management for real-time SFC in fog-supported SDN. Cineca Institutional Research Information System (Tor Vergata University). <https://doi.org/10.1016/j.comnet.2019.07.006>
- Moura, J., & Hutchison, D. (2022). Resilience Enhancement at Edge Cloud Systems. *IEEE Access*, 10, 45190–45206. <https://doi.org/10.1109/access.2022.3165744>
- Orive, A., Agirre, A., Truong, H. L., Sarachaga, I., & Marcos, M. (2022). Quality of Service Aware Orchestration for Cloud-Edge Continuum

- Applications. *Sensors*, 22(5), 1755. <https://doi.org/10.3390/s22051755>
- Prokhorenko, V., & Babar, M. A. (2020). Architectural Resilience in Cloud, Fog and Edge Systems: A Survey. *IEEE Access*, 8, 28078-28095. <https://doi.org/10.1109/access.2020.2971007>
- Ramamoorthi, V. (2023). Exploring AI-Driven Cloud-Edge Orchestration for IoT Applications. *International Journal of Scientific Research in Computer Science Engineering and Information Technology*, 385-393. <https://doi.org/10.32628/cseit239072>
- Reyana, A., Kautish, S., Alnowibet, K. A., Zawbaa, H. M., & Mohamed, A. W. (2023). Opportunities of IoT in Fog Computing for High Fault Tolerance and Sustainable Energy Optimization. *Sustainability*, 15(11), 8702. <https://doi.org/10.3390/su15118702>